

Amendments to the Specification:

Please replace paragraph [00121] with the following amended paragraph:

[00121] The results for Examples 5-7 are summarized in Table 2.

Table 2

Example	Dopant	Luminance efficiency (cd/A) at 100 cd/m ²	External quantum efficiency (%) at 100 cd/m ²	CIE	Shrinkage after 1000 hr at 10 mA/cm ²
5	Ir(3-Mepq) ₃	17.7	11.2	0.60, 0.39	none
6	Ir(pq) ₃	28.5	12.5	0.57, 0.43	none
7	Ir(5-Phppy) ₃	29.9	8.0	0.61, 0.64	None
Comp. Example A	Ir(3-Mepq) ₂ (acac)	11.0	10.0	0.65, 0.35	9 μm
Comp. Example B	Ir(pq) ₂ (acac)	18.2	10.5	0.61, 0.38	16 μm
Comp. Example C	Ir(ppy) ₃	22.3	6.2	0.30, 0.63	40 μm